

TEST ID NUMBER: 1272605  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888743	1ST FLOOR MUSIC DUP	Dec 27, 2019 10:02 AM	Dec 30, 2019 10:10 AM	Jan 03, 2020 3:37 AM	25.2 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**


PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARI.0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272604  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.


## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4893085	1ST FLOOR MUSIC	Dec 27, 2019 11:01 AM	Dec 30, 2019 10:10 AM	Jan 03, 2020 3:47 AM	24.6 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272574  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888515	1ST FLOOR 54	Dec 27, 2019 10:38 AM	Dec 30, 2019 9:57 AM	Jan 03, 2020 12:57 AM	5.9 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

*Jose Figueroa*

Jose Figueroa, RMS

NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL

*James E. McDonnell IV*

James E. McDonnell IV

TEST ID NUMBER: 1272582  
 DATE RECEIVED: 01/02/2020  
 REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
 11981 FARGO ROAD NORTHEAST,  
 AURORA, OR 97002

### TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
 1 EDDYVILLE SCHOOL RD  
 LINCOLN COUNTY  
 EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888354	1ST FLOOR MPR DUP	Dec 27, 2019 10:42 AM	Dec 30, 2019 10:00 AM	Jan 03, 2020 1:01 PM	4.0 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


#### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
 NRPP CERT# 109347 RT  
 NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
 PRO-LAB NEHA ID # 101461AI.



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272581  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888722	1ST FLOOR MPR	Dec 27, 2019 10:41 AM	Dec 30, 2019 10:00 AM	Jan 03, 2020 1:33 PM	4.2 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272579  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888414	1ST FLOOR 48	Dec 27, 2019 10:40 AM	Dec 30, 2019 9:59 AM	Jan 03, 2020 1:12 PM	7.4 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

*Jose Figueroa*

Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL

*James E. McDonnell IV*

James E. McDonnell IV

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

TEST ID NUMBER: 1272578  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4893098	1ST FLOOR 47	Dec 27, 2019 10:40 AM	Dec 30, 2019 9:59 AM	Jan 03, 2020 1:22 PM	6.6 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AI.



James E. McDonnell IV

**TEST ID NUMBER:** 1272576  
**DATE RECEIVED:** 01/02/2020  
**REPORT DATE:** 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
 11981 FARGO ROAD NORTHEAST,  
 AURORA, OR 97002

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
 1 EDDYVILLE SCHOOL RD  
 LINCOLN COUNTY  
 EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4884659	1ST FLOOR 49	Dec 27, 2019 10:39 AM	Dec 30, 2019 9:58 AM	Jan 03, 2020 1:19 AM	7.2 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
 NRPP CERT# 109347 RT  
 NRSB CERT # 18SS007

PRO-LAB NRSB # ARI.0028  
 PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV



TEST ID NUMBER: 1272575  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4876362	1ST FLOOR 55	Dec 27, 2019 10:38 AM	Dec 30, 2019 9:57 AM	Jan 03, 2020 12:47 AM	7.0 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.**  
Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446



TEST ID NUMBER: 1272602  
 DATE RECEIVED: 01/02/2020  
 REPORT DATE: 01/06/2020

**TEST LOCATION**  
 EDDYVILLE CHARTER SCHOOL  
 1 EDDYVILLE SCHOOL RD  
 LINCOLN COUNTY  
 EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-(04)). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

VIAL #	ROOM TESTED	DATE OPENED	DATE CAPPED	DATE ANALYZED	RADON LEVEL
4888309	1ST FLOOR GYM DUP	Dec 27, 2019 10:59 AM	Dec 30, 2019 10:08 AM	Jan 03, 2020 4:52 AM	3.6 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (pCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://nradon.org/download/mthbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

Jose Figueroa, RMS

NRRP CERT# 109347 RT  
 NRSB CERT # 1888007

*Jose Figueroa*

PRO-LAB NRSB # ARL0028  
 PRO-LAB NEHA ID # 101461AL

James E. McDonnell IV

*James E. McDonnell IV*

**TEST ID NUMBER:** 1272601  
**DATE RECEIVED:** 01/02/2020  
**REPORT DATE:** 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
 11981 FARGO ROAD NORTHEAST,  
 AURORA, OR 97002

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
 1 EDDYVILLE SCHOOL RD  
 LINCOLN COUNTY  
 EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888410	1ST FLOOR GYM	Dec 27, 2019 10:59 AM	Dec 30, 2019 10:08 AM	Jan 03, 2020 4:20 AM	3.6 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation; The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
 NRPP CERT# 109347 RT  
 NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
 PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

**TEST ID NUMBER:** 1272600  
**DATE RECEIVED:** 01/02/2020  
**REPORT DATE:** 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4893040	1ST FLOOR GYM	Dec 27, 2019 10:58 AM	Dec 30, 2019 10:07 AM	Jan 03, 2020 4:30 AM	3.4 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

**TEST ID NUMBER:** 1272599  
**DATE RECEIVED:** 01/02/2020  
**REPORT DATE:** 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
 11981 FARGO ROAD NORTHEAST,  
 AURORA, OR 97002

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
 1 EDDYVILLE SCHOOL RD  
 LINCOLN COUNTY  
 EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888366	1ST FLOOR GYM	Dec 27, 2019 10:58 AM	Dec 30, 2019 10:07 AM	Jan 03, 2020 9:59 AM	3.6 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT  
 NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
 PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

**TEST ID NUMBER:** 1272598  
**DATE RECEIVED:** 01/02/2020  
**REPORT DATE:** 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
 11981 FARGO ROAD NORTHEAST,  
 AURORA, OR 97002

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
 1 EDDYVILLE SCHOOL RD  
 LINCOLN COUNTY  
 EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888472	1ST FLOOR GYM	Dec 27, 2019 10:57 AM	Dec 30, 2019 10:07 AM	Jan 03, 2020 10:10 AM	3.6 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
 NRPP CERT# 109347 RT  
 NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
 PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272580  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.


## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888534	1ST FLOOR MPR	Dec 27, 2019 10:42 AM	Dec 30, 2019 10:00 AM	Jan 03, 2020 1:44 PM	3.8 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461A1.



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272586  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

**TEST LOCATION**  
EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4876312	1ST FLOOR 29	Dec 27, 2019 10:47 AM	Dec 30, 2019 10:02 AM	Jan 03, 2020 12:18 PM	3.9 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCIL) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARI.0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV



**TEST ID NUMBER:** 1272596  
**DATE RECEIVED:** 01/02/2020  
**REPORT DATE:** 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
 11981 FARGO ROAD NORTHEAST,  
 AURORA, OR 97002

**TEST LOCATION**  
 EDDYVILLE CHARTER SCHOOL  
 1 EDDYVILLE SCHOOL RD  
 LINCOLN COUNTY  
 EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4893069	1ST FLOOR 7	Dec 27, 2019 10:55 AM	Dec 30, 2019 10:06 AM	Jan 03, 2020 9:48 AM	3.3 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCIL) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
 NRPP CERT# 109347 RT  
 NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
 PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272606  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4876339	1ST FLOOR 68	Dec 27, 2019 11:03 AM	Dec 30, 2019 10:11 AM	Jan 03, 2020 4:09 AM	3.8 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272607  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4893105	1ST FLOOR 70	Dec 27, 2019 10:03 AM	Dec 30, 2019 10:12 AM	Jan 03, 2020 3:58 AM	3.7 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272608  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

**TEST LOCATION**  
EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4893070	1ST FLOOR 75	Dec 27, 2019 10:04 AM	Dec 30, 2019 10:13 AM	Jan 03, 2020 3:26 AM	1.8 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272609  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888369	1ST FLOOR 75 DUP	Dec 27, 2019 11:05 AM	Dec 30, 2019 10:13 AM	Jan 03, 2020 3:15 AM	1.8 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY


PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARI.0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

**PRO-LAB™**

# RADON ANALYSIS REPORT

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272577  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

**TEST LOCATION**  
EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 37343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4893111	1ST FLOOR 51	Dec 27, 2019 10:40 AM	Dec 30, 2019 9:59 AM	Jan 03, 2020 1:08 AM	2.0 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

*Jose Figueroa*

Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL

*James E. McDonnell IV*

James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272583  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4876317	1ST FLOOR 35	Dec 27, 2019 10:43 AM	Dec 30, 2019 10:01 AM	Jan 03, 2020 12:50 PM	1.2 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY


PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272584  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888398	1ST FLOOR 36	Dec 27, 2019 10:44 AM	Dec 30, 2019 10:02 AM	Jan 03, 2020 12:40 PM	1.1 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L, still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L, you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

*Jose Figueroa*

Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL

*James E. McDonnell IV*

James E. McDonnell IV



# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

**TEST ID NUMBER:** 1272585  
**DATE RECEIVED:** 01/02/2020  
**REPORT DATE:** 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4893100	1ST FLOOR 34	Dec 27, 2019 10:45 AM	Dec 30, 2019 10:02 AM	Jan 03, 2020 12:29 PM	1.3 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY


PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461A1.



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272587  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

**TEST LOCATION**  
EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888570	1ST FLOOR 26	Dec 27, 2019 10:47 AM	Dec 30, 2019 10:03 AM	Jan 03, 2020 12:07 PM	1.8 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCIL) OR HIGHER.**  
Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

*Jose Figueroa*

Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARI.0028  
PRO-LAB NEHA ID # 101461AL

*James E. McDonnell IV*

James E. McDonnell IV

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

TEST ID NUMBER: 1272588  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4884691	1ST FLOOR 2	Dec 27, 2019 10:48 AM	Dec 30, 2019 10:04 AM	Jan 03, 2020 11:57 AM	2.9 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB**<sup>TM</sup>

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272589  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4893161	1ST FLOOR 2	Dec 27, 2019 10:48 AM	Dec 30, 2019 10:04 AM	Jan 03, 2020 11:46 AM	2.5 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

*Jose Figueroa*

Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL

*James E. McDonnell IV*

James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272593  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888284	1ST FLOOR 6	Dec 27, 2019 10:49 AM	Dec 30, 2019 10:05 AM	Jan 03, 2020 11:25 AM	1.4 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L, you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS

NRPP CERT# 109347 RT  
NRSB CERT # 18SS007



James E. McDonnell IV

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272591  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888336	1ST FLOOR 3	Dec 27, 2019 10:48 AM	Dec 30, 2019 10:04 AM	Jan 03, 2020 11:03 AM	1.5 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

*Jose Figueroa*

Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL

*James E. McDonnell IV*

James E. McDonnell IV

TEST ID NUMBER: 1272592  
 DATE RECEIVED: 01/02/2020  
 REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
 11981 FARGO ROAD NORTHEAST,  
 AURORA, OR 97002

**TEST LOCATION**

EDDYVILLE CHARTER SCHOOL  
 1 EDDYVILLE SCHOOL RD  
 LINCOLN COUNTY  
 EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

**HERE ARE YOUR TEST RESULTS**

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888536	1ST FLOOR 4	Dec 27, 2019 10:49 AM	Dec 30, 2019 10:05 AM	Jan 03, 2020 11:35 AM	1.7 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L, or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

**LIMITATIONS OF DATA AND PRODUCT LIABILITY**

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
 NRPP CERT# 109347 RT  
 NRSB CERT # 18SS007

PRO-LAB NRSB # ARI.0028  
 PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272594  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888521	1ST FLOOR 8	Dec 27, 2019 10:50 AM	Dec 30, 2019 10:06 AM	Jan 03, 2020 10:31 AM	1.4 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV



# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272595  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4876273	1ST FLOOR 5	Dec 27, 2019 12:27 AM	Dec 30, 2019 10:06 AM	Jan 03, 2020 10:20 AM	2.5 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272597  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888331	1ST FLOOR GYM BLANK	Dec 27, 2019 10:55 AM	Dec 30, 2019 10:07 AM	Jan 03, 2020 9:38 AM	0.2 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**


### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.



Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL



James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272603  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888345	1ST FLOOR 23	Dec 27, 2019 10:59 AM	Dec 30, 2019 10:08 AM	Jan 03, 2020 4:41 AM	1.9 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PC/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

*Jose Figueroa*

Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARI.0028  
PRO-LAB NEHA ID # 101461AL

*James E. McDonnell IV*

James E. McDonnell IV

# RADON ANALYSIS REPORT

**PRO-LAB™**

1675 North Commerce Parkway, Weston, FL 33326 (954) 384-4446

TEST ID NUMBER: 1272590  
DATE RECEIVED: 01/02/2020  
REPORT DATE: 01/06/2020

ENVIRONMENTAL INSPECTION SERVICE, INC.  
11981 FARGO ROAD NORTHEAST,  
AURORA, OR 97002

## TEST LOCATION

EDDYVILLE CHARTER SCHOOL  
1 EDDYVILLE SCHOOL RD  
LINCOLN COUNTY  
EDDYVILLE, OR 97343

This is a confidential report of the radon samples that were submitted to our laboratory for measurements of radon-222 levels. The results represent the amount of radon that was present in the air during the time of sampling. The radon is measured in our laboratory using the liquid scintillation method (EPA 402-R-92-004). This report will not be released to anyone without your permission except as required by individual state laws and guidelines.

## HERE ARE YOUR TEST RESULTS

<u>VIAL #</u>	<u>ROOM TESTED</u>	<u>DATE OPENED</u>	<u>DATE CAPPED</u>	<u>DATE ANALYZED</u>	<u>RADON LEVEL</u>
4888562	1ST FLOOR 2 BLANK	Dec 27, 2019 10:48 AM	Dec 30, 2019 10:04 AM	Jan 03, 2020 11:14 AM	0.2 pCi/L

**THE EPA RECOMMENDS THAT YOU FIX YOUR HOME IF THE RADON LEVEL IS 4 PICOCURIES (PCi/L) OR HIGHER.** Please read the EPA Citizen's Guide to Radon at [www.epa.gov/radon/pubs/citguide.html](http://www.epa.gov/radon/pubs/citguide.html). Residents of New Jersey should read "Radon Testing and Mitigation: The Basics" at <http://njradon.org/download/mitbas.pdf>. Radon levels less than 4 pCi/L still pose a risk. You may want to take additional measurements because radon levels can vary with the seasons. You may also want to consider doing a long term test to determine the average radon concentrations over a longer period of time. If the radon level is 4.0 pCi/L or higher you should perform either a long-term test or a second short-term test. If the radon level is higher than 10 pCi/L you should perform a second short-term test immediately. **If you would like to learn how to lower your radon levels, or have other questions, please contact your state radon office at (971) 673-0490.**

### LIMITATIONS OF DATA AND PRODUCT LIABILITY

PRO-LAB expressly disclaims any and all liability for any special, incidental, or consequential damages resulting directly or indirectly from the improper use of or improper interpretation of the radon product or its results. Any delays in receipt of the test sample by PRO-LAB shall be the sole responsibility of the purchaser and their legal remedy shall be limited to recourse with their chosen carrier. Additionally, PRO-LAB shall not be responsible for the improper placement of the test canister nor shall PRO-LAB be liable for results derived directly or indirectly from the improper placement of said test canister. PRO-LAB, its agents, its retailers, its distributors, and the manufacturers' sole liability are limited to the cost for the replacement of the test canister itself only.

*Jose Figueroa*

Jose Figueroa, RMS  
NRPP CERT# 109347 RT  
NRSB CERT # 18SS007

PRO-LAB NRSB # ARL0028  
PRO-LAB NEHA ID # 101461AL

*James E. McDonnell IV*

James E. McDonnell IV